



Assessment of Conservation Effectiveness of Protected Areas and their regional networks


Mikhail Stishov, Vladimir Krever & Irina Onufrenya

WWF-Russia

http://www.wwf.ru/resources/publ/book/eng/761




General scheme of full regional PA network assessment






Indicators of Conservation Effectivenness for Individual Protected Areas





Assessed Conservation Functions of PA and their assessed components





Indicators of Conservation Effectivenness for Protected Areas Networks (existing & planned/prospective)

Average conservation effectiveness of PAs

PA Network Completeness

PA Network Integrity

Average PA safety

Average PA stability

Prospective PA Network Completeness

Prospective PA Network Integrity

CURRENT CONSERVATION
EFFECTIVENESS OF PA
NETWORK

PROSPECTIVE CONSERVATION
EFFECTIVENESS OF PA
NETWORK



Components of PA Networks Indicators

Completeness

Landscape representativeness

Ecosystem representativeness

Floristic & faunistic representativeness

Completeness for rare taxa conservation

Completeness for protection of the high conservation value territories

Completeness for protection of unique and value nature features

Completeness for reproduction of nature resources

Completeness for ecological stability

Integrity

Providing natural lifecycles of species undertaking longtime nomadic or other migrations

Supporting populations of large animals, whose continued existence within a PA requires regular exchange of individuals with other areas

Capability of restoration of disturbed or destroyed environmental complexes within a PA through in-migration of species and communities from other areas

Capability of natural changes in the biota and ecosystems in response to cyclic or directional changes of the physiographic environment manifested as shifts of boundaries of zonal divisions



Methodology Approbation & Implementation





Thank you

www.wwf.ru

